

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.


We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search


Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/





.* .

.



FRONTISPIECE.



More Swern, Trent, or Thames's Ouzy side The Moss, or gliding Streams productive Store, Pours the smooth Current of their easy Tide, To grace the Building on the Verdant Shore, Cach nill require a sameness to the Spot, There the rough Tuscan, or the Pustic fix, Tor this a Cell, a Cascade or a Grot; Or Pebbles, Shells, or calcin'd Matter mix, The frozen Isicles resembled form,

Or Sea green Weed your Grotto must adorn.

Art of Architecture, a Poem.

Grotesque Architecture,

O R

RURAL AMUSEMENT;

CONSISTING OF

PLANS, ELEVATIONS, AND SECTIONS,

F O R

Huts, Retreats,
Summer and Winter Hermitages,
Terminaries,
Chinese, Gothic, and Natural
Grottos,

Cascades,
Baths,
Mosques,
Moresque Pavilions,
Grotesque and Rustic Seats,
Green Houses, &c.

MANY OF WHICH MAY BE EXECUTED WITH

Flints, Irregular Stones, Rude Branches, and Roots of Trees.

The whole containing Twenty-eight new Defigns, with Scales to each.

TO WHICH IS ADDED,

An Explanation, with the Method of executing them.

(in William Wrights)



LONDON:

Printed for I. and J. TAYLOR, at the Architectural Library, nearly opposite Great Turnstile, Holborn.

M.DCC.XC.

173. e. 114.

er i

GROTESQUE ARCHITECTURE.

PLATE I.

PLAN and elevation of a hut, to be built with trunks of trees and irregular timber. The infide walls may be lined with moss, and covered on the top with thatch. It is intended to represent the primitive state of the Dorick Order, and is proper to be placed at the entrance of a wood, or on the top of a small eminence. The dimensions are figured on the plan.

PLATE II.

Plan and elevation of an hermetic retreat, to be composed of roots and irregular branches of trees, cemented together with a strong binding clay, and may be thatched or covered with branches of trees twined round with ivy. The dimensions are figured on the plan.

PLATE III.

Elevation of an hermit's cell, with rustic seats attached, eight seet square in the inside, which should be situated in a rising wood near some running water, to be built partly of large stones and trunks of trees, set round with ivy, and lined with rushes, &c. The roof should be covered with thatch, and the floor paved with small pebble stones or cockle shells. The seats attached are intended to be composed of large irregular stones, roots of trees, &c.

PLATE IV.

Plan and elevation for an hermitage in the eastern style, supposed to be built round a tree which supports its roof; over the door is a tablet, with an Arabic inscription; the roof is covered with thatch, in the Chinese taste; the inside to be lined with billet wood and moss. It is lighted from the lanterns above. A. should be a couch; B. C. are seats of retirement. The dimensions are figured in the plan. The rustic seats on the side are intended to be composed of large rough stones and roots of pollard trees cemented together.

PLATE V.

Plan and elevation of a winter hermitage, intended as a retirement from hunting, fowling,

or any other winter amusement; the walls to be built of flints or rough stones, and lined with wool or other warm substance intermixed with moss, and should be situated on a rising ground planted with evergreens.

PLATE VI.

Plan and elevation of a summer hermitage, defigned to be in a wilderness or thick wood; the walls to be composed of large stones, and the ends faced with flints; the roof covered with thatch, and an owl carved on the top; the floor should be paved with sheeps marrow-bones placed upright, or any other pretty device intermixed with them. A. is for a couch; B. C. are feats of retirement.

PLATE VII.

Plan and elevation of an hermitage in the Augustine style; the front is ornamented with a portico of palm trees, in the pediment is a scull, and a tablet with an inscription. A. are passages of evergreens leading to the two circular retreats, one of which is intended as a library, and the other a bath; the tops of them are intended to be thatched; b b b. are niches for feats cut in the evergreens. defign is calculated to be built on a small verdant

A 3

dant amphitheatre, near a murmuring stream, and as a proper retreat from the fatigues of a sultry day.

PLATE VIII.

A plan, half an elevation, and half a section, of a rural circular hermitage, designed for an open situation near some rivulet, planted with weeping willows, &c. The inside is lighted by a gazebo, supported by eight trunks of trees twined about with ivy. The dimensions are figured on the plan.

PLATE IX.

Plan, elevation, and section, of a grotto in a modern architectonic style, ornamented with jet d'eaux, sea weeds, looking-glass, sountains, and other grotesque decorations. The dimensions may be known by the scale and the sigures on the plan,

PLATE X,

Plan and elevation of a Gothic grotto with four closets five feet square; the outside to be composed of slints and irregular stones, and studded with small pebbles; the inside to be ornamented with shells, ores, &c. and if built upon an eminence, it would have a very pleasing appearance.

PLATE

[7]

PLATE XI.

Plan and elevation of an open Chinese grotto, to be placed at the head of a grand canal, with a bath (A), and a Chinese temple (B), attached; the arcades to be ice or frosted work; the outside of the bath and temple to be ornamented with beautiful shells in the Mosaic taste; the inside to be groined over, as on the plan, and ornamented with shell-work and other beautiful incrustations. The whole extent is 75 feet.

PLATE XII.

Plan and measures to plate xiii. and xiv.

PLATE XIII.

Elevation of a Gothic grotto, with cascades and wings attached (see the plan, plate xii.). The entrance is a saloon of 20 feet square; the angles are couped with off niches, where grotesque statues or vases should be placed. It is intended to have a sountain in the centre, with antique sigures spouting out water; the walls should be lined with slints, decorated with ice-work; the whole is lighted from the gazebo on the top. A. B. are the plans of the two wings or repositories, which are each descended to by a slight of four steps. A. is intended to be ornamented with curious shells, gems, coral, &c. with sta-

A 4

tues

tues in the niches. B. is to be groined over in the Gothic manner, with a pier in the centre, to be lined with flints, intermixed with shells, looking-glass, &c. The groins should be incrusted with frosted work, in the manner of dropping icicles. Both these wings are lighted from the rose arches, as appears in the elevation; the outside to be composed of rough stones incrusted and studded with pebbles, shells, &c. There are placed in the recesses Gothic sigures. The situation should be in some retired copse, shaded by an adjacent hill, near some murmuring rivulet, where the cascades, or rather sountains, as in the design, may be easily effected. The measures are marked on the plan.

PLATE XIV.

Elevation of a rural grotto (fee the plan, plate xii.), which should be built of large rough stones rudely put together, so that the building may as near as possible imitate the beautiful appearance of nature. If the dome was to be richly ornamented with pendentive shell and frosted work, it would look very elegant. In the middle niche is Neptune on a rock, pouring out water, which descends under the pavement through an arch, and forms a running stream. The side niches are ornamented with satyrs and other grotesque sigures. The situation should be in a morass, near some water.

PLATE

[9]

PLATE XV.

A design for a cascade or cataract of a great fall of water, decorated with rock-work, sea lions pouring out fountains of water; and a triton, by way of embellishment, in the centre.

PLATE XVI.

A defign for a triumphal cascade of sour falls of water. If care is taken to erect this arch with rude and irregular slints, &c. at the same time paying a due observance to nature, it will have a very magnificent appearance, and look extremely elegant; and would be a superbornament in a nobleman's park where there is a great supply of water.

PLATE XVII.

A grotto, canal, and cascade, decorated with rock-work, tritons, sibyls, &c. pouring forth fountains of water. The author hopes he may be indulged with observing, that he hath with great pleasure seen a fine piece of water in the park of the Earl of Esex, at Cashiobury, near Watford, Herts; and flatters himself that if the arch in this design, on which the triton is placed, was to be executed there in the nature of a bridge, it would have a very magnificent and pleasing appearance.

[10]

PLATE XVIII.

A romantic bridge, or a cascade of three sheets of water, descending through arches of artisicial rock-work, incrusted with shells, corals, sea-weed, moss, &c. and two sea gods lying on their oozy couch, pouring out water.

PLATE XIX.

Plan and elevation of a rustic seat for a garden or park, intended to terminate a view. It would look very pretty if it was built with slints, or irregular rude branches and roots of trees.

PLATE XX.

Plan and elevation for a grotesque or rural bath, very proper to be built in gardens, &c. for the benefit of bathing. It is intended to have three seats within, by way of closets, for the conveniency of dressing and undressing. If the water in the plan be left out, it will look very pleasing as a rural hut.

PLATE XXI.

Plan and elevation of a rural mosque with minarets. It is divided into an octagon saloon, supported by eight columns, lighted from the dome. The other apartments are four regular small rooms or closets, which will serve for various rious purposes. The minarets are placed in the plan by way of ornament, to shew the true taste of the Turkish buildings; and the singularity of the style of architecture is such, that will render it a very pleafing ornament, if executed in a pleasure ground, or upon an elevated verdant amphitheatre. It may be built of wood, and fluccoed; the infide should be painted with various rich colours, which would have a pleasing and elegant appearance. The dome is supported by irregular branches of trees, well connected and cramped together. The minarets should be solid, and the pedestals (A.B.) should be decorated with Arabic inscriptions. For a more intelligible and historical account of these buildings, I must refer the reader to Dr. Shaw's Account of Barbary, Le Brun and Tournefort's Voyage to the Levant, &c.

PLATE XXII.

Plan and elevation of a circular mosque twenty feet diameter, with four cabinets attached, eight feet square; two of which may serve for entrances, having each a small fountain, sive feet diameter; the other two may be for the purposes of study or use. The four minarets at the angles bring the plan upon a square of forty feet. The cabinets, as well as the mosque, are crowned with domes, which should be gilt on

the outfide. The great dome is supported by eight columns, over which are groined arches; an iron balustrade runs round the outfide, which may be painted blue, and gilt; on the top of the great dome is a light cupola, supported by eight small columns, from whence hangs a chandelier to light the inside when required. The other decorations may be seen in the section, plate xxiv.

PLATE XXIII.

Plan and elevation for another mosque, with two minarets attached to the body of the building, which may be executed in brick of 14 inches thickness. The front is a portico of four columns, in the oriental style, in the centre of which is a fountain for fabateons; which may be seen in the section, plate xxiv. The niches in the front should have Arabic inscriptions in gold letters. The portico is covered with three little domes, in the Turkish manner, ornamented with crescents, &c. The inside is lighted from the circular windows and little arches above, which support the dome. For the interior decorations see the section, plate xxiv. It would look very beautiful if built on an open lawn, planted round with a few cypress or other exotic trees. The dimensions are figured on the plan.

PLATE

[13]

PLATE XXIV.

Sections and scales to the plates xxii. and xxiii.

PLATE XXV.

Two plans of morefque temples to plates xxvi. and xxvii. with their proper measures.

PLATE XXVI.

Elevation of a beautiful moresque temple (see the plan, plate xxv.). The coupled columns support an arcade of interfecting semi-ellipses, which goes quite round the temple. In the spandrells are Moors heads, with crescents, roses, and stars, over which is a parapet balustrade of net or lattice-work. The body of the temple is twenty feet diameter, crowned with an open lantern, from whence it is lighted; the outfide of which is adorned with stars of glass on an azure ground. On the top is a pine, which should be double gilt; and if the outside was covered with a glossy substance, it would have a very pleasing and magnificent appearance. The style of architecture is a medium between the Chinese and Gothic, having neither the levity of the former nor the gravity of the latter. The particularities of both this and the following design are taken from those famous remains of Barbarian antiquity, the palace of L'Lhambra, at Granada, the ancient moresque mosque

at Cordova, the old cassavee or palace of the Moorish kings at Mæquanez; for the accounts of which the reader is referred to Willughbuy's Travels into Spain, Ocley's Account of South or West Barbary, and Shaw's Travels to the Levant.

PLATE XXVII.

Elevation of a moresque pavilion (see the plan, plate xxv.) in the style of the ancient Moors, raised on three steps. Over the arches are Moors heads and sessions. In the middle is a circular or geometrical stair-case, leading to the top, or balustrade. It is crowned with a square cupola, mounted with a moresque standard; and is very proper to be built on an eminence to command an extensive view.

PLATE XXVIII.

Plan and elevation for a green-house of the grotesque kind, faced with slints and irregular stones. The dimensions may be found by the scale.

Books on Architecture, &c.

Printed for I. and J. TAYLOR, at the Architectural Library, No. 56, High Holborn.

t. THE Rudiments of Ancient Architecture; in two Parts: containing an Historical Account of the Five Orders, with their Proportion, and Examples of each from the Antiques: Also, Vitruvius on the Temples and Intercolumniations, &c. of the Ancients; calculated for the Use of those who wish to attain a summary Knowledge of the Science of Architecture; with a Dictionary of Terms: illustrated with ten Plates, and a Portrait of the celebrated James Stuart, Esq. Price, in boards, 5s.

2. Plans, Elevations, and Sections of Buildings, executed in the Counties of Norfolk, Suffolk, Yorkshire, Wiltshire, Warwickshire, Staffordshire, Somersetshire, Sc. By John Soane, Architect, Member of the Royal Academies of Parma and Florence. Dedicated, with permission, to the King. On Forty-seven solio Plates. Price, on Royal

Paper, 2l. 2s. on Imperial Paper, 2l. 12s. 6d.

3. Plans, Elevations, and Sections, of the House of Correction for the County of Middlesex, to be erected in Cold-Bath Fields, London; together with the Particular of the several Materials to be contracted for, and manner of using the same in building.

N. B. T is Work is engraved from the original Defigns, and published with the authority of the Magistrates, by Charles Middleton, Architect, engraved on 53 plates, imperial folio, price 21. 12s. 6d.

half bound.

4. The Cabinet-Maker and Upholsterer's Guide; or Repository of Defigns for every article of household furniture, in the newest and most approved taste. The whole exhibiting near three hundred different designs, engraved on one hundred and twenty-six solio plates: from drawings by A. Heppelwhite & Co. Cabinet-Makers, 21. 28. bound.

5. The Builder's Price-Book; containing a correct lift of the prices allowed by the most eminent surveyors in London to the several artificers concerned in building; including the journeymen's prices. A new edition, corrected, with great additions, by an experienced surveyor, 25. 6d.

fewed.

6. Familiar Architecture; confifting of original Defigns of House, for Gentlemen and Tradesmen, Parsenages and Summer Retreats; with Back-Fronts, Sections, &c. together with Banqueting-Rooms and Churches. To which is added, the Masonry of the Semicircular, and Elliptical Arches, with practical Remarks. By the late Thomas Rawlins, Architect. On sifty-one Plates, Royal Quarto. Price 11. 18.

7. Crunden's Convenient and Ornamental Architecture; confifting of original Designs for Plans, Elevations, and Sections, beginning with the Farm-house, and regularly ascending to the most grand and magnificent Villa; calculated both for town and country, and to suit all persons in every station of life; with a Reference, and Explanation in Letter-press, of the use of every room in each separate building and the dimensions accurately sigured on the Plans, with exact scales for the measurement; elegantly engraved, on seventy Copperplates, 16s. bound.

Books printed for I. and J. Taylor, No 56, High Holbern.

8. The Country Gentleman's Architect, in a great variety of new Defigns for Cottages, Farm-houses, Country-houses, Villas, Lodges for Park or Garden Entrances, and ornamental Wooden Gates; with Plans of the Offices belonging to each Design; distributed with a strict attention to convenience, elegance, and economy. Engraved on thirty-two Quarto Plates, from Designs drawn by J. Miller, Architect, 10s. 6d. sewed.

9. Garret's Défigus and Estimates for Farm-houses, for the Counties of York, Northumberland, Cumberland, Westmoreland, and the

Bishoprick of Durham. Folio, 5s. sewed.

10. Dr. Brook Taylor's Method of Perspective made easy, both in Theory and Practice; in two Books; being an attempt to make the Art of Perspective easy and familiar, to adapt it entirely to the Arts of Design, and to make an entertaining Study to any Gentleman who shall choose so polite an Amusement. By Joshua Kirby, Designer in Perspective to his Majesty, and Fellow of the Royal and Antiquarian Societies. Illustrated with thirty-sive Copper Plates, correctly engraved under the Author's inspection. The third Edition, with several Additions and Improvements. Elegantly printed on Imperial Paper, 11. 10s. half bound.

11. The same Work in two Volumes Quarto, 11. 1s.

12. The Perspettive of Architecture, a work entirely new: deduced from the principles of Dr. Brook Taylor, and performed by two rules of universal application: illustrated with seventy-three plates. Begun by command of his present Majesty when Princeof Wales. By Joshua Kirby, Designer in Perspective to his Majesty, and Fellow of the Royal and Antiquarian Societies. Elegantly printed on Imperial Paper, 11. 16s. half bound.

13. The Description and Use of a new Instrument called the Architectoric Sector, by which any part of Architecture may be drawn with facility and exactness. By Joshua Kirby, Designer in Perspective to his Majesty, and Fellow of the Royal and Antiquarian Societies. Illustrated with twenty-five Plates. Elegantly printed on Imperial

Paper, 11. 1s. half-bound.

14. The two Frontispieces, by Hogarth, to Kirby's Perspective,

may be had separate, at 5s. each.

15. Designs in Architecture; consisting of Plans, Elevations, and Sections, for Temples, Baths, Cassines, Pavilions, Garden Seats, Obelisks, and other Buildings: for decorating Pleasure-grounds, Parks, Forests, &c. &c. By John Scane. Engraved on thirty-eight Copper-Plates, Imperial Octavo, 6s. sewed.


16. The Temple Builder's most useful Companion; containing original Designs in the Greek, Roman, and Gothick taile. By C. T. Overton. Engraved on sifty Copper-plates, Ostavo, 7s. sewed.


17. The Carpenter's Treasure; a collection of Designs for Temples, with their Plans, Gates, Doors, Rails, and Bridges, in the Gothic taste, with Centres at large for striking Gothic Curves and Mouldings, and some Specimens of Rails in the Chinese taste, forming a complete system for rural decorations. By N. Wallis, Architect. Eagraved on sixteen Plates, Octavo, 25. 6d. sewed.

A Primitive Huto.













Hermetic Retreat.










Hermuts Cell.




Oriental Hermitages.

Pl.4.












. . 4
















Rural Hermitage.


















Scale


Gothic Grotto.












•

.

Gothic Grotto, with Cascades & Wings Mached.



: : : . .





Trumphal Cascade.

Pl. 16.





•


:

•

•









.

Grotesque, or Rural Bath.








•


•

•












And the second s , • . . • . ; ·









Section to Plate 22.











Moresque Temple?



.


.



٠, . .

Marin Marin

÷.



• •

	•			
•			-	
		•		
			•	
·		,		
		,		
		,		
•	,			



.

